

imu

SMART ARC POS

Experience all-new
design details

SMART POS SYSTEM
ARC POS



MINI PC SYSTEM
CUBE



CONTACT US

+82-2-6105-7261/7271

sales2@imupos.com



WATCHING THE
IMU POS · KIOSK
imu.pos.com




SMART POS SYSTEM

ARC POS


With a new design,
evolve into a smart system!

- A new concept of smart POS system that innovates the store
- Different levels of detail, modern and sophisticated design
- CUBE PC can be installed to enable efficient space utilization
- Landscape and Portrait view (2 different product)
- Plug and play
- Windows or Android

Primary Display



Secondary Display



Select the product type according to your shop

Installation Type



Horizontal Type



Vertical Type

OS Type



Windows
ARC POS + CUBE



Android
All-in-One
Not required CUBE PC

SPECIFICATION

ARC POS [ARC-H(M)]

Display	12.2" LED Backlight (1920x1200 / 16:10 Ratio) PCAP 10 Point Multi-touch
Audio	3W x 1, Speaker
Secondary Display	8" Customer Display / LED Backlight (1280x800 / 16:10 Ratio) / PCAP 10 Point Multi-touch
I/O Ports	Serial(RJ11) x 1 / Mini DP x 1 / USB 2.0 x 2
Certifications	CE, FCC, KC


*Specifications are subject to change without prior notice.

BAREBONE SYSTEM


CUBE

Compact size,
powerful performance
mini PC system (Barebone)

- Excellent space saving with compact size
- Light weight (0.7kg)
- Possible to connect with various display products (USB C / DP Alt mode)
- Various I/O ports
- Durable aluminum case
- Fanless
- 10/100/1000 Ethernet, Wi-Fi, Bluetooth 5.1



I/O Ports (Default)



I/O Ports 2 (Optional)




SPECIFICATION

CUBE

Processor	Intel® Celeron® Processor J6412 (Fanless)
Storage	Standard. 128GB (1 x M.2 2280 SATAIII) or Premium. 256GB (PCIe 3.0 NVME option)
Memory	4GB (1 x SODIMM DDR4 3200MHz up to 16GB)
Graphics	Intel® UHD Graphics for 10th Gen Intel® Processors
Connecting device	802.11 b/g/n/ac Wireless & Bluetooth 5.1 combo card
I/O Ports	USB 3.0(Type A) x 1 / USB 3.2 Gen2(Type C, DP alt mode support) x 1 / LAN(RJ45) x 1 / Mini DP output(Dual display support) x 1 / 4pin 12V DC INPUT x 1 / RS232(RJ45) x 3, USB 2.0 x 2
I/O Ports 2(Optional)	USB 2.0 x 4 / RS232(RJ45) x 2
Power	60W / 12V DC input
OS	Windows 10 IoT Enterprise(64bit) / Windows 11(64bit)
Certifications	CE, FCC, KC

*Specifications are subject to change without prior notice.





ARC-H(M) Box info

	Dimension (mm)	Weight (kg)
Inner Box	515 × 348 × 138	5.9
Master Box	545 × 365 × 450	18.8

* The weight of the box varies depending on the components and the main board. (includes box weight)

The speciality of the ARC POS



S l e e k f i n i s h

S t y l i s h D e s i g n



imu

📍 #609, 115, Gasan digital 2-ro, Geumcheon-gu, Seoul, 08505, Republic of Korea
☎ +82-2-6105-7261/7271 ✉ sales2@imupos.com 🌐 imupos.com

WATCHING THE
IMU POS · KIOSK

